

Client: BAUTISTA, SHEILA (106104)
 Patient Name: POPOY
 Species: Feline
 Breed: Siamese

Gender: Male
 Weight:
 Age: 3 Years
 Doctor: DANIEL JON BATINGA

BATINGA ANIMAL MEDICAL
 CLINIC
 TIANO-MONTALVAN STS.
 CAGAYAN DE ORO

Test	Results	Reference Interval	LOW	NORMAL	HIGH
ProCyte Dx (July 17, 2020 1:02 PM)					
RBC	8.36 M/ μ L	6.54 - 12.20			
HCT	25.7 %	30.3 - 52.3	LOW		
HGB	9.2 g/dL	9.8 - 16.2	LOW		
MCV	30.7 fL	35.9 - 53.1	LOW		
MCH	11.0 pg	11.8 - 17.3	LOW		
MCHC	35.8 g/dL	28.1 - 35.8			
RDW	34.7 %	15.0 - 27.0			HIGH
%RETIC	0.2 %				
RETIC	19.2 K/ μ L	3.0 - 50.0			
RETIC-HGB	13.4 pg	13.2 - 20.8			
WBC	31.51 K/ μ L	2.87 - 17.02			HIGH
%NEU	* 65.3 %				
%LYM	* 32.6 %				
%MONO	* 0.8 %				
%EOS	0.1 %				
%BASO	1.2 %				
NEU	* 20.59 K/ μ L	2.30 - 10.29			HIGH
BAND	* Suspected				
LYM	* 10.28 K/ μ L	0.92 - 6.88			HIGH
MONO	* 0.25 K/ μ L	0.05 - 0.67			
EOS	0.02 K/ μ L	0.17 - 1.57	LOW		
BASO	0.37 K/ μ L	0.01 - 0.26			HIGH
PLT	133 K/ μ L	151 - 600	LOW		
MPV	22.3 fL	11.4 - 21.6			HIGH
PCT	0.30 %	0.17 - 0.86			

* Confirm with dot plot and/or blood film review.

1. Anemia without reticulocytosis-likely non-regenerative anemia; consider pre-regenerative anemia
2. Increased RDW-anisocytosis present - review blood film
3. Normal PCT-likely adequate platelet mass

1. Immature and/or toxic neutrophils likely present - consider active inflammation

Catalyst One (July 17, 2020 1:13 PM)

GLU	144 mg/dL	74 - 159			
CREA	1.7 mg/dL	0.8 - 2.4			
BUN	19 mg/dL	16 - 36			
BUN/CREA	11				
PHOS	5.2 mg/dL	3.1 - 7.5			
CA	9.4 mg/dL	7.8 - 11.3			
TP	8.7 g/dL	5.7 - 8.9			
ALB	2.7 g/dL	2.2 - 4.0			
GLOB	6.0 g/dL	2.8 - 5.1			HIGH
ALB/GLOB	0.4				
ALT	22 U/L	12 - 130			
ALKP	31 U/L	14 - 111			
GGT	2 U/L	0 - 4			
TBIL	2.3 mg/dL	0.0 - 0.9			HIGH
CHOL	186 mg/dL	65 - 225			
AMYL	1811 U/L	500 - 1500			HIGH
LIPA	255 U/L	100 - 1400			

Client: BAUTISTA, SHEILA (106104)
Patient Name: POPOY
Species: Feline
Breed: Siamese

Gender: Male
Weight:
Age: 3 Years
Doctor: DANIEL JON BATINGA

BATINGA ANIMAL MEDICAL
CLINIC
TIANO-MONTALVAN STS.
CAGAYAN DE ORO

Test	Results	Reference Interval	LOW	NORMAL	HIGH
Catalyst One (July 17, 2020 1:13 PM)					
Na	171 mmol/L	150 - 165			HIGH
K	4.0 mmol/L	3.5 - 5.8			
Na/K	43				
Cl	113 mmol/L	112 - 129			
Osm Calc	341 mmol/kg				